

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## CJC-1295 + Ipamorelin - 10mg

**PASS**



Tested for: ezPeps - Quality Research Peptides  
<https://ezpeps.com>

COA #:	COA-2026-A2VZ47	Method:	Full QC Panel
Lot Number:	CI550315	Analysis Date:	05/12/2026
Accession #:	ACC-2026-1975	Appearance:	Good
Concentration:	10mg	Volume:	3mL
Sample Matrix:	Lyophilized	Received:	05/05/2026



Scan to verify  
authenticity at ils-lab.com

Identity	Purity
<b>CJC-1295 + Ipamorelin</b>	<b>99.73%</b>




CJC-1295 + Ipamorelin 10mg - CI550315

### Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.73%	%	PASS
Net Blend Peptide Content	Report Only	10.59	mg	N/A
-- CJC-1295 (49%)		5.19	mg	
-- Ipamorelin (51%)		5.40	mg	
Identity (ID)	CJC-1295 + IPAMORELIN	Confirmed	-	PASS

### HPLC Chromatogram



CJC-1295 + Ipamorelin 10mg - CI550315: UV Chromatogram




**Dr. Greg Kalyuzhny**  
Lab Director  
5/15/2026

COA #: **COA-2026-A2VZ47**  
Access Code: **JBTWXWJA**  
Verify: <portal.ils-lab.com/verify/8TX76JFRcZUW9MfW>  
Issued: 5/15/2026

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## CJC-1295 + Ipamorelin - 10mg

**PASS**



**Tested for: ezPeps - Quality Research Peptides**  
<https://ezpeps.com>

COA #:	<b>COA-2026-A2VZ47</b>	Method:	<b>Full QC Panel</b>
Lot Number:	<b>CI550315</b>	Analysis Date:	<b>05/12/2026</b>
Accession #:	<b>ACC-2026-1975</b>	Appearance:	<b>Good</b>
Concentration:	<b>10mg</b>	Volume:	<b>3mL</b>
Sample Matrix:	<b>Lyophilized</b>	Received:	<b>05/05/2026</b>



Scan to verify  
authenticity at ils-lab.com

### Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	<i>Not Detected</i>	<b>PASS</b>
Cadmium (Cd)	NMT 0.5 ppm	<i>Not Detected</i>	<b>PASS</b>
Chromium (Cr)	NMT 10 ppm	<i>Not Detected</i>	<b>PASS</b>
Mercury (Hg)	NMT 1.5 ppm	<i>Not Detected</i>	<b>PASS</b>
Lead (Pb)	NMT 1 ppm	<i>Not Detected</i>	<b>PASS</b>

### Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	<b>No Growth</b>	-	<b>PASS</b>

### Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	<b>0.085 EU/mL</b>		<b>PASS</b>

### Notes & Methodology

- Date Tested: 05/12/2026. Methods: Full QC Panel.
- The sample was confirmed to be CJC-1295 + Ipamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
- Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (CJC-1295 49%, Ipamorelin 51%). All components confirmed present by HPLC identity testing.




**Dr. Greg Kalyuzhny**  
Lab Director  
5/15/2026

COA #: **COA-2026-A2VZ47**  
Access Code: **JBTWXWJA**  
Verify: <portal.ils-lab.com/verify/8TX76JFRcZUW9Mw>  
Issued: 5/15/2026