

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP-2-TZ - 12mg

PASS



Tested for: ezPeps - Quality Research Peptides
<https://ezpeps.com>

COA #: **COA-2026-STE7_C**
Lot Number: **ZE100402**
Accession #: **ACC-2026-2106**
Concentration: **12mg**
Sample Matrix: **Lyophilized**

Method: **Full QC Panel**
Analysis Date: **05/11/2026**
Appearance: **Good**
Volume: **3mL**
Received: **05/07/2026**



Scan to verify
authenticity at ils-lab.com

Identity
GLP-2-TZ

Purity
99.92%


Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.92%	%	PASS
Net Peptide Content	Report Only	12.47	mg	N/A
Identity (ID)	Tirzepatide	Confirmed	-	PASS



GLP-2-TZ 12mg - ZE100402

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.91% purity, closest to batch mean of 99.91%)

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.91%	12.42 mg	Confirmed	PASS
Conformity V1	99.92%	12.47 mg	Confirmed	PASS
Mean	99.91%	12.45 mg	—	—
Std Dev	0.0050%	0.0250 mg	—	—




Dr. Greg Kalyuzhny
Lab Director
5/11/2026

COA #: **COA-2026-STE7_C**
Access Code: **MGBCABA9**
Verify: <portal.ils-lab.com/verify/vefPbXCjEwqLOu4M>
Issued: 5/11/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP-2-TZ - 12mg

PASS



Tested for: ezPeps - Quality Research Peptides
<https://ezpeps.com>

COA #:	COA-2026-STE7_C	Method:	Full QC Panel
Lot Number:	ZE100402	Analysis Date:	05/11/2026
Accession #:	ACC-2026-2106	Appearance:	Good
Concentration:	12mg	Volume:	3mL
Sample Matrix:	Lyophilized	Received:	05/07/2026



Scan to verify
authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

- Date Tested: 05/11/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be GLP-2-TZ by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
- Chromatogram shown is representative: Dedicated V0 (99.91% purity, closest to batch mean of 99.91%).




Dr. Greg Kalyuzhny
Lab Director
5/11/2026

COA #: **COA-2026-STE7_C**
Access Code: **MGBCABA9**
Verify: <portal.ils-lab.com/verify/vefPbXCjEwqLOu4M>
Issued: 5/11/2026