Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

NAD+ 1000mg - 1000mg

PASS

lumi PEPTIDES **Tested for: Lumi Peptides**
lumipeptides.com

COA #:	**COA-2026-0007**	Method:	**Full QC Panel**
Lot Number:	**LPNAD1000-01**	Analysis Date:	**04/10/2026**
Concentration:	**1000mg**	Appearance:	**Good**
Received:	**04/06/2026**	Volume:	**10ml**

Scan to verify authenticity at ils-lab.com

Identity	Purity
NAD+ 1000mg	**99.01%**




NAD+ 1000mg 1000mg - LPNAD1000-01

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	> 98%	**99.01%**	%	**PASS**
Net Peptide Content	Report Only	**1039.61**	mg	N/A
Identity (ID)	NAD+	**Confirmed**	-	**PASS**
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**
Endotoxin (USP <85>)	< 0.05 EU/mL	**NMT 0.05 EU/mL**		**PASS**
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	**1.05 ppm**	ppm	**PASS**
Cadmium (Cd)	<= 0.5 ppm	**0.17 ppm**	ppm	**PASS**
Lead (Pb)	<= 1.0 ppm	**0.58 ppm**	ppm	**PASS**
Mercury (Hg)	<= 1.5 ppm	**0.18 ppm**	ppm	**PASS**
Chromium (Cr)	<= 10.0 ppm	**0.39 ppm**	ppm	**PASS**

Date Tested: 04/10/2026 | Method: Full QC Panel

HPLC Chromatogram



Representative chromatogram, Conformity Sample 1 (99.02% purity, closest to batch mean of 99.05%)

Dr. Greg Kalyuzhny
Lab Director
4/10/2026

COA #: COA-2026-0007
Access Code: **Y0JYIIPU**
Verify: portal.ils-lab.com/verify/MbXxvJu7J9yVid91
Issued: 4/10/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

NAD+ 1000mg - 1000mg

PASS

Tested for: Lumi Peptides
lumipeptides.com

COA #:	**COA-2026-0007**	Method:	**Full QC Panel**
Lot Number:	**LPNAD1000-01**	Analysis Date:	**04/10/2026**
Concentration:	**1000mg**	Appearance:	**Good**
Received:	**04/06/2026**	Volume:	**10ml**

Scan to verify authenticity at ils-lab.com

The sample was confirmed to be NAD+ 1000mg by HPLC. Identification by chromatographic retention time comparison with a reference standard.

Conformity Testing Results (3 samples tested)

Sample	Purity	Net Content	ID	Result
Dedicated Sample 1	99.01%	1039.61 mg	Confirmed	**PASS**
Conformity Sample 1	99.02%	1039.71 mg	N/A	**PASS**
Conformity Sample 2	99.11%	1040.66 mg	N/A	**PASS**
Mean	**99.05%**	**1039.99 mg**	—	—
Std Dev	**0.0450%**	**0.4732 mg**	—	—

Representative chromatogram, Conformity Sample 1 (99.02% purity, closest to batch mean of 99.05%)

Dr. Greg Kalyuzhny
Lab Director
4/10/2026

COA #: COA-2026-0007
Access Code: **Y0JYIIPU**
Verify: portal.ils-lab.com/verify/MbXxvJu7J9yVid91
Issued: 4/10/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.