Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP3-RT - 50mg

Tested for: Lumi Peptides
www.lumipeptides.com

PASS

COA #:	**COA-2026-954887**	Analysis Date:	**08/04/2026**
Lot Number:	**LPRT50-05**	Appearance:	**Good**
Accession #:	**ACC-2026-12309**	Sample Matrix:	**Lyophilized**
Labeled Content:	**50mg**	Volume:	**10mL**
		Date Received:	**07/24/2026**

Scan to verify authenticity at ils-lab.com
Access Code: P6492SK4

Method: **Full QC Panel**

Identity	Peptide Purity	
GLP3-RT	**99.90%**	**Fentanyl Free**




GLP3-RT 50mg - LPRT50-05

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.90%**	%	**PASS**
Net Peptide Content	Report Only	**51.21**	mg	N/A
Identity (HPLC-RTM)	Retatrutide	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Conformity V2

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	98.85%	53.12 mg	Confirmed	**PASS**
Conformity V1	99.90%	51.21 mg	Confirmed	**PASS**
Conformity V2	99.42%	52.51 mg	Confirmed	**PASS**
Mean	**99.39%**	**52.28 mg**	—	—
Std Dev	**0.4292%**	**0.7965 mg**	—	—

Dr. Greg Kalyuzhny
Lab Director
8/4/2026

COA #: **COA-2026-954887**
Access Code: **P6492SK4**
Verify: portal.ils-lab.com/verify/6Nw0bjwGJ3tqyKvb
Issued: 8/4/2026

ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	0.0236	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	0.0153	**PASS**
Lead (Pb)	NMT 1.0 ppm	0.0791	**PASS**
Mercury (Hg)	NMT 1.5 ppm	0.0641	**PASS**
Chromium (Cr)	NMT 10.0 ppm	0.3415	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**0.107 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 08/04/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be GLP3-RT by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Conformity V2 (99.42% purity, closest to batch mean of 99.39%).

Dr. Greg Kalyuzhny
Lab Director
8/4/2026

COA #: **COA-2026-954887**
Access Code: **P6492SK4**
Verify: portal.ils-lab.com/verify/6Nw0bjwGJ3tqyKvb
Issued: 8/4/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.