

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

S-GLP1 CAS# 910463-68-2 - 5mg

Tested for: Step One Ventures, LLC

PASS

COA #: COA-2026-IB8Z8F
Lot Number: SMW071526
Accession #: ACC-2026-11358
Labeled Content: 5mg

Analysis Date: 07/31/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 07/19/2026



Scan to verify
authenticity at ils-lab.com
Access Code: S4KBP4C8

Method: Full QC Panel

Identity

S-GLP1 CAS# 910463-68-2

Peptide Purity

99.50%




Fentanyl
Free

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.50%	%	PASS
Net Peptide Content	Report Only	5.33	mg	N/A
Identity (HPLC-RTM)	Semaglutide (GLP-1)	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



Representative chromatogram, Dedicated V0

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.37%	5.1 mg	Confirmed	PASS
Conformity V1	99.50%	5.33 mg	Confirmed	PASS
Mean	99.44%	5.21 mg	—	—
Std Dev	0.0650%	0.1150 mg	—	—



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: COA-2026-IB8Z8F

Access Code: S4KBP4C8

Verify: portal.ils-lab.com/verify/NTtLacdiUobYQCU4

Issued: 7/31/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	.616	PASS
Cadmium (Cd)	NMT 0.5 ppm	.155	PASS
Lead (Pb)	NMT 1.0 ppm	.2616	PASS
Mercury (Hg)	NMT 1.5 ppm	.66	PASS
Chromium (Cr)	NMT 10.0 ppm	6.325	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.092 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/31/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be S-GLP1 CAS# 910463-68-2 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Dedicated V0 (99.37% purity, closest to batch mean of 99.44%).




Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: COA-2026-IB8Z8F
Access Code: S4KBP4C8
Verify: portal.ils-lab.com/verify/NTtLacdiUobYQCU4
Issued: 7/31/2026