

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tesamorelin - 10mg

Tested for: Step One Ventures, LLC

PASS

COA #: COA-2026-7MDFRF
Lot Number: TEB063026
Accession #: ACC-2026-11360
Labeled Content: 10mg

Analysis Date: 07/31/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 07/19/2026



Scan to verify
authenticity at ils-lab.com
Access Code: ZWGJBP7M

Method: Full QC Panel

Identity

Tesamorelin

Peptide Purity

99.08%



Fentanyl
Free

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.08%	%	PASS
Net Peptide Content	Report Only	10.36	mg	N/A
Identity (HPLC-RTM)	Tesamorelin	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



Representative chromatogram, Conformity V1

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.08%	10.36 mg	Confirmed	PASS
Conformity V1	98.18%	10.48 mg	Confirmed	PASS
Mean	98.63%	10.42 mg	—	—
Std Dev	0.4500%	0.0600 mg	—	—



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: COA-2026-7MDFRF
Access Code: ZWGJBP7M
Verify: portal.ils-lab.com/verify/F8lfbBnbA4fw5U06
Issued: 7/31/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	.161	PASS
Cadmium (Cd)	NMT 0.5 ppm	.48	PASS
Lead (Pb)	NMT 1.0 ppm	.324	PASS
Mercury (Hg)	NMT 1.5 ppm	.3247	PASS
Chromium (Cr)	NMT 10.0 ppm	6.32	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.094 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/31/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be Tesamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Conformity V1 (98.18% purity, closest to batch mean of 98.63%).




Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: **COA-2026-7MDFRF**
Access Code: **ZWGJBP7M**
Verify: <portal.ils-lab.com/verify/F8lfbBnbA4fw5U06>
Issued: 7/31/2026