

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## Tirzepatide - 100mg

**PASS**




Tested for: Welli Labs  
www.wellilabs.com

COA #:	<b>COA-2026-FWILMR</b>	Method:	<b>Full QC Panel</b>
Lot Number:	<b>WLTZ-100-1001</b>	Analysis Date:	<b>04/10/2026</b>
Concentration:	<b>100mg</b>	Appearance:	<b>Good</b>
Received:	<b>04/06/2026</b>	Volume:	<b>10ml</b>



Scan to verify  
authenticity at ils-lab.com

Identity	Purity
<b>Tirzepatide</b>	<b>99.88%</b>




Tirzepatide 100mg - WLTZ-100-1001

### Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	> 98%	<b>99.88%</b>	%	<b>PASS</b>
Net Peptide Content	Report Only	<b>104.87</b>	mg	N/A
Identity (ID)	Tirzepatide	<b>Confirmed</b>	-	<b>PASS</b>
Sterility (PCR)	No Growth	<b>No Growth</b>	-	<b>PASS</b>
Endotoxin (USP <85>)	< 0.05 EU/mL	<b>NMT 0.05 EU/mL</b>		<b>PASS</b>
<b>Heavy Metals</b>				
Arsenic (As)	<= 1.5 ppm	<b>0.06</b>	ppm	<b>PASS</b>
Cadmium (Cd)	<= 0.5 ppm	<b>0.08</b>	ppm	<b>PASS</b>
Lead (Pb)	<= 1.0 ppm	<b>0.11</b>	ppm	<b>PASS</b>
Mercury (Hg)	<= 1.5 ppm	<b>0.09</b>	ppm	<b>PASS</b>
Chromium (Cr)	<= 10.0 ppm	<b>0.13</b>	ppm	<b>PASS</b>

Date Tested: 04/10/2026 | Method: Full QC Panel

### HPLC Chromatogram



Representative chromatogram, Conformity Sample 2 (99.85% purity, closest to batch mean of 99.85%)




**Dr. Greg Kalyuzhny**  
Lab Director  
4/10/2026

COA #: **COA-2026-FWILMR**  
Access Code: **6ERKUUPF**  
Verify: [portal.ils-lab.com/verify/9nQm6HfYeONHbQ6Y](https://portal.ils-lab.com/verify/9nQm6HfYeONHbQ6Y)  
Issued: 4/10/2026

**ILS Laboratories**

8222 Vickers St, Suite 106, San Diego, CA 92111  
 (619) 329-3999 | ils-lab.com

## Tirzepatide - 100mg

**PASS**



**Tested for: Welli Labs**  
 www.wellilabs.com

COA #:	<b>COA-2026-FWILMR</b>	Method:	<b>Full QC Panel</b>
Lot Number:	<b>WLTZ-100-1001</b>	Analysis Date:	<b>04/10/2026</b>
Concentration:	<b>100mg</b>	Appearance:	<b>Good</b>
Received:	<b>04/06/2026</b>	Volume:	<b>10ml</b>



Scan to verify  
 authenticity at ils-lab.com

The sample was confirmed to be Tirzepatide by HPLC. Identification by chromatographic retention time comparison with a reference standard.

### Conformity Testing Results (3 samples tested)

Sample	Purity	Net Content	ID	Result
Dedicated Sample 1	99.88%	104.87 mg	Confirmed	<b>PASS</b>
Conformity Sample 1	99.81%	104.8 mg	Confirmed	<b>PASS</b>
Conformity Sample 2	99.85%	104.84 mg	Confirmed	<b>PASS</b>
Mean	<b>99.85%</b>	<b>104.84 mg</b>	—	—
Std Dev	<b>0.0287%</b>	<b>0.0287 mg</b>	—	—

Representative chromatogram, Conformity Sample 2 (99.85% purity, closest to batch mean of 99.85%)




**Dr. Greg Kalyuzhny**  
 Lab Director  
 4/10/2026

COA #: **COA-2026-FWILMR**  
 Access Code: **6ERKUUPF**  
 Verify: [portal.ils-lab.com/verify/9nQm6HfYeONHbQ6Y](https://portal.ils-lab.com/verify/9nQm6HfYeONHbQ6Y)  
 Issued: 4/10/2026