

# SOUTHWEST WATER CO

## \$2,650

COMPLETE HOME WATER  
FILTRATION AND SOFTENER  
SYSTEM + RO WITH  
ALKALINE FILTER

**FREE**  
INSTALLATION



100+ ★★★★★ REVIEWS

SOUTHWESTWATERCO.COM

1,000S OF SUCCESSFUL INSTALLS



## SYSTEM ADD-ONS



### XL TANK - 64,000 GRAIN SYSTEM

- XL Capacity resin bed
- For larger families of 7-10
- Rated for 7-10 years of use
- Self-flushing

**+\$250**



### SALT-FREE WATER CONDITIONER

- No salt
- Rated for 3-5 years of use
- Virtually Maintenance Free
- Uses no electricity

**+\$300**



### PRE-SYSTEM SEDIMENT FILTER

- Dimensions: 20" x 4.5"
- Flow Rate: 5 GPM
- Filter Life: 10,000 Gallons
- Initial Pressure Drop: 1 PSI

**+\$200**



### FLOOD DETECTION SENSOR

- Automatic water shut-off
- Wireless multi-point monitoring
- Long battery life
- Always guarding

**+\$300**



### DUAL TANK - 96,000 GRAIN SYSTEM

- Customizable for city or well water
- Handle up to 12 people
- Rated for 7-10 years of use
- Self-flushing

**+\$400**

## LABOR ADD-ONS

BURIED SYSTEM | TRENCHING TO GARAGE | ATTIC TIE-IN |  
DECORATIVE ROCK

Family Owned

# HONEST WATER CO

"Best water at the best price, Honestly"

# \$2,650

COMPLETE HOME WATER  
FILTRATION AND SOFTENER  
SYSTEM + RO WITH  
ALKALINE FILTER

**FREE**  
INSTALLATION



100+ ★★★★★ REVIEWS

HONESTWATERCO.COM

1,000S OF SUCCESSFUL INSTALLS



## SYSTEM ADD-ONS

### FLOOD DETECTION SENSOR



- Automatic water shut-off
- Wireless multi-point monitoring
- Long battery life
- Always guarding

**+\$300**

### SALT-FREE WATER CONDITIONER



- No salt
- Rated for 3-5 years of use
- Virtually Maintenance Free
- Uses no electricity

**+\$300**

### PRE-SYSTEM SEDIEMENT FILTER



- Dimensions: 20" x 4.5"
- Flow Rate: 5 GPM
- Filter Life: 10,000 Gallons
- Initial Pressure Drop: 1 PSI

**+\$200**


### XL TANK - 64,000 GRAIN SYSTEM



- XL Capacity resin bed
- For larger families of 7-10
- Rated for 7-10 years of use
- Self-flushing

**+\$250**

### DUAL TANK - 96,000 GRAIN SYSTEM



- Customizable for city or well water
- Handle up to 12 people
- Rated for 7-10 years of use
- Self-flushing

**+\$400**

## CONTACT INFO

Eric Baird  
GetSalt@PrimoSalt.com  
+1 (435) 236-2194



### HONEST PROVALVE - MODERN DESIGN

- Ceramic discs for longer life and reduced maintenance.
- Highly configurable with easy to use program interface.
- Long-term memory for program functions.
- 72-hour memory backup.

### GRANULAR ACTIVATED COCONUT SHELL CARBON


- Unmatched Purity – Treating chlorine, chloramine, and harmful contaminants with superior efficiency.
- Eco-Friendly – Sustainably sourced from renewable materials with the highest environmental standards.
- Long-Lasting – Designed for maximum filtration capacity and extended performance.

### USA MADE HIGH-CAPACITY SOFTENING RESIN

- 10% crosslinked resin removes hardness and lasts longer.
- Superior Durability – Resists chlorine and oxidation for a longer lifespan.
- Maximum Performance – Delivers high-flow soft water with no pressure loss.

### POLISHING GRAVEL

- Enhanced Filtration – Supports resin for optimal water flow and efficiency.
- Superior Stability – Prevents channeling and ensures even water distribution.



VALVE FLOW RATE\* ..... 28 GPM  
SYSTEM FLOW RATE\* ..... **28 GPM**  
BYPASS SIZE ..... 1"  
**SOFTENING CAPACITY ..... 64,000 GRAINS**  
RESIN VOLUME ..... **75 lbs**  
CARBON VOLUME ..... 15 lbs  
**MEDIA TANK SIZE DxH ..... 12" X 52"**  
BRINE/SALT TANK SIZE ..... 15" X 35" Square  
SHIPPING WEIGHT SYSTEM ..... 125 lbs  
SHIPPING WEIGHT BRINE ..... 17 lbs



### STAGE 1

5 micron polypropylene sediment pre-filter to extract suspended materials.

### STAGE 2-3

Double NSF carbon block filters to absorb heavy chlorine by-products such as chloramine, THM, and TCE. The double carbon briquettes filter out organic matter from water without release of carbon fines. The carbon block prepares water to enter the reverse osmosis element.

### STAGE 4

High rejection (95-99%) NSF Thin Film Composite RO Membrane 100 GPD to reject a wide spectrum of impurities including Total Dissolved Solids (TDS), heavy metals, bacteria & viruses

### STAGE 5

In-line NSF Coconut Shell GAC Filter is used to remove dissolved gases, bad taste and odor from product water.

### STAGE 6

Internal Alkaline Remineralizer: Improves Hydration, supplements nutrient levels in your body. Balances PH levels of your water. Makes purified water taste great.

### STAGE 7

Additional In-line NSF Coconut Shell GAC Filter is used to remove dissolved gases, bad taste and odor from product water

## COMPLETE XL HOME SOFTENER & FILTRATION SYSTEM

Upgrade your home's water with the Ultimate Water Filtration Bundle:

Hydro Spring softener and HW800 AlkaPro

This all-in-one solution delivers pure, mineral-rich, toxin-free water for drinking, cooking, and cleaning.

Enjoy softer skin, cleaner dishes, and better-tasting water while protecting your appliances and boosting your family's health.



### HONEST PROVALVE - MODERN DESIGN

- Ceramic discs for longer life and reduced maintenance.
- Highly configurable with easy to use program interface.
- Long-term memory for program functions.
- 72-hour memory backup.

### GRANULAR ACTIVATED COCONUT SHELL CARBON


- Unmatched Purity – Treating chlorine, chloramine, and harmful contaminants with superior efficiency.
- Eco-Friendly – Sustainably sourced from renewable materials with the highest environmental standards.
- Long-Lasting – Designed for maximum filtration capacity and extended performance.

### USA MADE HIGH-CAPACITY SOFTENING RESIN

- 10% crosslinked resin removes hardness and lasts longer.
- Superior Durability – Resists chlorine and oxidation for a longer lifespan.
- Maximum Performance – Delivers high-flow soft water with no pressure loss.

### POLISHING GRAVEL

- Enhanced Filtration – Supports resin for optimal water flow and efficiency.
- Superior Stability – Prevents channeling and ensures even water distribution.



VALVE FLOW RATE\* ..... 28 GPM  
SYSTEM FLOW RATE\* ..... **28 GPM**  
BYPASS SIZE ..... 1"  
SOFTENING CAPACITY ..... **64,000 GRAINS**  
RESIN VOLUME ..... **75 lbs**  
CARBON VOLUME ..... 15 lbs  
MEDIA TANK SIZE DxH ..... **12" X 52"**  
BRINE/SALT TANK SIZE ..... 15" X 35" Square  
SHIPPING WEIGHT SYSTEM ..... 125 lbs  
SHIPPING WEIGHT BRINE ..... 17 lbs



### STAGE 1

5 micron polypropylene sediment pre-filter to extract suspended materials.

### STAGE 2-3

Double NSF carbon block filters to absorb heavy chlorine by-products such as chloramine, THM, and TCE. The double carbon briquettes filter out organic matter from water without release of carbon fines. The carbon block prepares water to enter the reverse osmosis element.

### STAGE 4

High rejection (95-99%) NSF Thin Film Composite RO Membrane 100 GPD to reject a wide spectrum of impurities including Total Dissolved Solids (TDS), heavy metals, bacteria & viruses

### STAGE 5

In-line NSF Coconut Shell GAC Filter is used to remove dissolved gases, bad taste and odor from product water.

### ALKALINE FILTER

Improves Hydration, supplements nutrient levels in your body. Balances pH levels of your water. Makes purified water taste great.

# COMPLETE XL HOME SOFTENER & FILTRATION SYSTEM

Upgrade your home's water with the Ultimate Water Filtration Bundle:

Hydro Spring softener and HW800 AlkaPro

This all-in-one solution delivers pure, mineral-rich, toxin-free water for drinking, cooking, and cleaning.

Enjoy softer skin, cleaner dishes, and better-tasting water while protecting your appliances and boosting your family's health.



### HONEST PROVALVE - MODERN DESIGN

- Ceramic discs for longer life and reduced maintenance.
- Highly configurable with easy to use program interface.
- Long-term memory for program functions.
- 72-hour memory backup.

### GRANULAR ACTIVATED COCONUT SHELL CARBON


- Unmatched Purity - Treating chlorine, chloramine, and harmful contaminants with superior efficiency.
- Eco-Friendly - Sustainably sourced from renewable materials with the highest environmental standards.
- Long-Lasting - Designed for maximum filtration capacity and extended performance.

### USA MADE HIGH-CAPACITY SOFTENING RESIN

- 10% crosslinked resin removes hardness and lasts longer.
- Superior Durability - Resists chlorine and oxidation for a longer lifespan.
- Maximum Performance - Delivers high-flow soft water with no pressure loss.

### POLISHING GRAVEL

- Enhanced Filtration - Supports resin for optimal water flow and efficiency.
- Superior Stability - Prevents channeling and ensures even water distribution.



**VALVE FLOW RATE\*** ..... 30 GPM  
**SYSTEM FLOW RATE\*** ..... 27 GPM  
**BYPASS SIZE** ..... 1"  
**SOFTENING CAPACITY** ..... 48,000 GRAINS  
**RESIN VOLUME** ..... 1.5 cuft  
**MEDIA TANK SIZE DxH** ..... 10" X 54"  
**BRINE/SALT TANK SIZE** ..... 15" X 35" Square  
**SHIPPING WEIGHT SYSTEM** ..... 125 lbs  
**SHIPPING WEIGHT BRINE** ..... 17 lbs



### STAGE 1

5 micron polypropylene sediment pre-filter to extract suspended materials.

### STAGE 2-3

Double NSF carbon block filters to absorb heavy chlorine by-products such as chloramine, THM, and TCE. The double carbon briquettes filter out organic matter from water without release of carbon fines. The carbon block prepares water to enter the reverse osmosis element.

### STAGE 4

High rejection (95-99%) NSF Thin Film Composite RO Membrane 100 GPD to reject a wide spectrum of impurities including Total Dissolved Solids (TDS), heavy metals, bacteria & viruses

### STAGE 5

In-line NSF Coconut Shell GAC Filter is used to remove dissolved gases, bad taste and odor from product water.

### ALKALINE FILTER

Improves Hydration, supplements nutrient levels in your body. Balances pH levels of your water. Makes purified water taste great.

# COMPLETE HOME SOFTENER & FILTRATION SYSTEM

Upgrade your home's water with the Ultimate Water Filtration Bundle:  
Hydro Spring softener, Proline Plus RO System, and Alkaline Filter.

This all-in-one solution delivers pure, mineral-rich, toxin-free water for drinking, cooking, and cleaning. Enjoy softer skin, cleaner dishes, and better-tasting water while protecting your appliances and boosting your family's health.



### HONEST PROVALVE - MODERN DESIGN

- Ceramic discs for longer life and reduced maintenance.
- Highly configurable with easy to use program interface.
- Long-term memory for program functions.
- 72-hour memory backup.

### GRANULAR ACTIVATED COCONUT SHELL CARBON


- Unmatched Purity - Treating chlorine, chloramine, and harmful contaminants with superior efficiency.
- Eco-Friendly - Sustainably sourced from renewable materials with the highest environmental standards.
- Long-Lasting - Designed for maximum filtration capacity and extended performance.

### USA MADE HIGH-CAPACITY SOFTENING RESIN


- 10% crosslinked resin removes hardness and lasts longer.
- Superior Durability - Resists chlorine and oxidation for a longer lifespan.
- Maximum Performance - Delivers high-flow soft water with no pressure loss.

### POLISHING GRAVEL

- Enhanced Filtration - Supports resin for optimal water flow and efficiency.
- Superior Stability - Prevents channeling and ensures even water distribution.



**VALVE FLOW RATE\*** ..... 30 GPM  
**SYSTEM FLOW RATE\*** ..... 27 GPM  
**BYPASS SIZE** ..... 1"  
**SOFTENING CAPACITY** ..... 48,000 GRAINS  
**RESIN VOLUME** ..... 1.5 cuft  
**MEDIA TANK SIZE DxH** ..... 10" X 54"  
**BRINE/SALT TANK SIZE** ..... 15" X 35" Square  
**SHIPPING WEIGHT SYSTEM** ..... 125 lbs  
**SHIPPING WEIGHT BRINE** ..... 17 lbs



### STAGE 1

5 micron polypropylene sediment pre-filter to extract suspended materials.

### STAGE 2-3

Double NSF carbon block filters to absorb heavy chlorine by-products such as chloramine, THM, and TCE. The double carbon briquettes filter out organic matter from water without release of carbon fines. The carbon block prepares water to enter the reverse osmosis element.

### STAGE 4

High rejection (95-99%) NSF Thin Film Composite RO Membrane 100 GPD to reject a wide spectrum of impurities including Total Dissolved Solids (TDS), heavy metals, bacteria & viruses

### STAGE 5

In-line NSF Coconut Shell GAC Filter is used to remove dissolved gases, bad taste and odor from product water.

### STAGE 6

Internal Alkaline Remineralizer: Improves Hydration, supplements nutrient levels in your body. Balances PH levels of your water. Makes purified water taste great.

### STAGE 7

Additional In-line NSF Coconut Shell GAC Filter is used to remove dissolved gases, bad taste and odor from product water

# COMPLETE HOME SOFTENER & FILTRATION SYSTEM

Upgrade your home's water with the Ultimate Water Filtration Bundle:  
Hydro Spring softener, Proline Plus RO System, and Alkaline Filter.

This all-in-one solution delivers pure, mineral-rich, toxin-free water for drinking, cooking, and cleaning. Enjoy softer skin, cleaner dishes, and better-tasting water while protecting your appliances and boosting your family's health.



### HONEST PROVALVE - MODERN DESIGN

- Ceramic discs for longer life and reduced maintenance.
- Highly configurable with easy to use program interface.
- Long-term memory for program functions.
- 72-hour memory backup.

### GRANULAR ACTIVATED COCONUT SHELL CARBON


- Unmatched Purity - Treating chlorine, chloramine, and harmful contaminants with superior efficiency.
- Eco-Friendly - Sustainably sourced from renewable materials with the highest environmental standards.
- Long-Lasting - Designed for maximum filtration capacity and extended performance.

### USA MADE HIGH-CAPACITY SOFTENING RESIN


- 10% crosslinked resin removes hardness and lasts longer.
- Superior Durability - Resists chlorine and oxidation for a longer lifespan.
- Maximum Performance - Delivers high-flow soft water with no pressure loss.

### POLISHING GRAVEL

- Enhanced Filtration - Supports resin for optimal water flow and efficiency.
- Superior Stability - Prevents channeling and ensures even water distribution.



**VALVE FLOW RATE\*** ..... 30 GPM  
**SYSTEM FLOW RATE\*** ..... 27 GPM  
**BYPASS SIZE** ..... 1"  
**SOFTENING CAPACITY** ..... 48,000 GRAINS  
**RESIN VOLUME** ..... 1.5 cuft  
**MEDIA TANK SIZE DxH** ..... 10" X 54"  
**BRINE/SALT TANK SIZE** ..... 15" X 35" Square  
**SHIPPING WEIGHT SYSTEM** ..... 125 lbs  
**SHIPPING WEIGHT BRINE** ..... 17 lbs



### STAGE 1

5 micron polypropylene sediment pre-filter to extract suspended materials.

### STAGE 2-3

Double NSF carbon block filters to absorb heavy chlorine by-products such as chloramine, THM, and TCE. The double carbon briquettes filter out organic matter from water without release of carbon fines. The carbon block prepares water to enter the reverse osmosis element.

### STAGE 4

High rejection (95-99%) NSF Thin Film Composite RO Membrane 100 GPD to reject a wide spectrum of impurities including Total Dissolved Solids (TDS), heavy metals, bacteria & viruses

### STAGE 5

In-line NSF Coconut Shell GAC Filter is used to remove dissolved gases, bad taste and odor from product water.

### STAGE 6

Internal Alkaline Remineralizer: Improves Hydration, supplements nutrient levels in your body. Balances PH levels of your water. Makes purified water taste great.

### STAGE 7

Additional In-line NSF Coconut Shell GAC Filter is used to remove dissolved gases, bad taste and odor from product water

# COMPLETE HOME SOFTENER & FILTRATION SYSTEM

Upgrade your home's water with the Ultimate Water Filtration Bundle:  
Hydro Spring softener, Proline Plus RO System, and Alkaline Filter.

This all-in-one solution delivers pure, mineral-rich, toxin-free water for drinking, cooking, and cleaning. Enjoy softer skin, cleaner dishes, and better-tasting water while protecting your appliances and boosting your family's health.

